

ERICA W.



Hometown

Surprise, Arizona

Diagnosed with VWD in 1981

Erica is a mother, a wife, a daughter, a sister, a former computer programmer, and a teacher. For years, Erica has had to stand up for herself to ensure a correct diagnosis and to receive appropriate treatment for her von Willebrand disease (VWD). Erica feels fortunate that she has been able to find a healthcare team that cares about her. Her advice? To read and research on your own about VWD, speak with others within the community, and seek out healthcare providers who have experience treating VWD. Erica knows that living with VWD doesn't define her—but it has shaped her into the person she is today.

About the VWiD Program

Our goal is to continue to educate the von Willebrand disease community with impactful, relevant VWD programs. The VWiD program provides the opportunity for members to hear stories, receive information, and connect with other members of the community.

We invite adults with VWD to attend this session.

If you would like to schedule this program, please contact [Name/email/phone]

What is VONVENDI?

VONVENDI is used in adults (age 18 years and older) diagnosed with von Willebrand disease to:

- Treat and control bleeding episodes
- Prevent excessive bleeding during and after surgery

DETAILED IMPORTANT RISK INFORMATION

Who should not use VONVENDI?

You should not use VONVENDI if you:

- Are allergic to any ingredients in VONVENDI.
- Are allergic to mice or hamsters.

Tell your healthcare provider if you are pregnant or breastfeeding because VONVENDI may not be right for you.

How should I use VONVENDI?

Your first dose of VONVENDI for each bleeding episode may be administered with a recombinant factor VIII as instructed by your healthcare provider.

Your healthcare provider will instruct you whether additional doses of VONVENDI with or without recombinant factor VIII are needed.

What should I tell my healthcare provider before I use VONVENDI?

You should tell your healthcare provider if you:

- Have or have had any medical problems.
- Take any medicines, including prescription and non-prescription medicines, such as over-the-counter medicines, supplements or herbal remedies.
- Have any allergies, including allergies to mice or hamsters.
- Are breastfeeding. It is not known if VONVENDI passes into your milk and if it can harm your baby.
- Are pregnant or planning to become pregnant. It is not known if VONVENDI can harm your unborn baby.

What should I tell my healthcare provider before I use VONVENDI? (continued)

- Have been told that you have inhibitors to von Willebrand factor (because VONVENDI may not work for you).
- Have been told that you have inhibitors to blood coagulation factor VIII.

What else should I know about VONVENDI and von Willebrand Disease?

Your body can form inhibitors to von Willebrand factor or factor VIII. An inhibitor is part of the body's normal defense system. If you form inhibitors, it may stop VONVENDI or factor VIII from working properly. Consult with your healthcare provider to make sure you are carefully monitored with blood tests for the development of inhibitors to von Willebrand factor or factor VIII.

What are the possible side effects of VONVENDI?

You can have an allergic reaction to VONVENDI.

Call your healthcare provider right away and stop treatment if you get a rash or hives, itching, tightness of the throat, chest pain or tightness, difficulty breathing, lightheadedness, dizziness, nausea or fainting.

Side effects that have been reported with VONVENDI include: nausea, vomiting, tingling or burning at infusion site, chest discomfort, dizziness, hot flashes, itching, high blood pressure, muscle twitching, unusual taste, blood clots and increased heart rate.

Tell your healthcare provider about any side effects that bother you or do not go away.

You are encouraged to report negative side effects of prescription drugs to the FDA.

Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

Please see VONVENDI full Prescribing Information in pocket and talk to your healthcare provider.

VONVENDI.com